

STABILIZATION OF DISCRETE SYSTEMS WITH BOUNDED PARAMETERS

Taner BÜYÜKKÖROĞLU*, Vakif DZHAFAROV

Department of Mathematics, Faculty of Science, Anadolu University, Eskişehir, Turkey

ABSTRACT

In this paper stabilization problem of linear discrete single input, single output plant by affine stabilizer is considered. It is assumed that stabilizing vector is bounded and its values are changed in a given box. We use the Schur-Szegö parameters (reflection coefficients) and obtain conditions for nonexistence and existence of a stabilizing vector.

Keywords: Schur stability, Reflection coefficients, Stabilizing vector

1. INTRODUCTION

Recall that a single polynomial

$$p(s) = a_1 + a_2s + \dots + a_n s^{n-1} + a_{n+1} s^n$$

is called Schur stable if all its roots lie in the unit open disc. In order to use the Schur-Szegö parameters we assume that $a_{n+1} = 1$. In this case the above polynomial becomes

$$p(s) = a_1 + a_2s + \dots + a_n s^{n-1} + s^n, \quad (1)$$

which corresponds to an n -dimensional vector $p = (a_1, a_2, \dots, a_n)^T \in \mathbb{R}^n$, where the symbol "T" stands for the transpose. The vector p is called stable if the corresponding polynomial $p(s)$ (1) is stable. From hence, we will understand "stable" to mean "Schur stability".

For the definition of Schur-Szegö parameters (reflection coefficients) k_1, k_2, \dots, k_n of the polynomial (1) we refer to [1,2,3]. A map $f: \mathbb{R}^n \rightarrow \mathbb{R}^n$, $(k_1, k_2, \dots, k_n)^T \rightarrow (f_1, f_2, \dots, f_n)^T$ which is defined recursively by the formula

$$(f_1, f_2, \dots, f_n)^T = M_n(k_n) \begin{bmatrix} 0^T \\ M_{n-1}(k_{n-1}) \end{bmatrix} \dots \begin{bmatrix} 0^T \\ M_1(k_1) \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix}$$

is called the reflection map. Here

$$M_j(k_j) = I_{j+1} + k_j E_{j+1}, \quad E_j = \begin{bmatrix} 0 & \dots & 1 \\ \vdots & \ddots & \vdots \\ 1 & \dots & 0 \end{bmatrix}$$

I_j is a $j \times j$ unit matrix, E_j is a $j \times j$ dimensional unit Henkel matrix.

The reflection map f is multilinear, that is, affine linear with respect to each variable k_i .

The polynomial (1) is stable if and only if there exist k_1, k_2, \dots, k_n such that $|k_i| < 1$ and $a_i = f_i(k_1, k_2, \dots, k_n)$ for all $i = 1, 2, \dots, n$. In this case, the numbers k_1, k_2, \dots, k_n are called the reflection coefficients or Schur-Szegö parameters of the polynomial (1) (see [2]).

*Corresponding Author: tbuyukkoroglu@anadolu.edu.tr

Consider a linear plant $G(s) = \frac{a(s)}{b(s)}$ and regulator $R(s, c) = \frac{n(s, c)}{d(s, c)}$, where $c = (c_1, c_2, \dots, c_l)^T \in \mathcal{C}$ is control vector and \mathcal{C} is a box:

$$\mathcal{C} = \{(c_1, c_2, \dots, c_l)^T : c_i^- \leq c_i \leq c_i^+, i = 1, 2, \dots, l\}.$$

It is assumed that a, b, n and d are polynomials in s and both $n(s, c)$ and $d(s, c)$ are affine linear with respect to c . The closed-loop system has characteristic polynomial

$$\begin{aligned} p(s, c) &= a(s) n(s, c) + b(s) d(s, c) \\ &= p_0(s) + c_1 p_1(s) + c_2 p_2(s) + \dots + c_l p_l(s). \end{aligned} \tag{2}$$

Without loss of generality assume that $\text{degree}(p_0) = n$, $\text{degree}(p_i) < n$ ($i = 1, 2, \dots, l$) and $p_0(s)$ is monic polynomial.

The stabilization problem is the determination of a parameter $c \in \mathcal{C}$ such that the characteristic polynomial (2) becomes stable. The relation (2) can be written in a vector equation in \mathbb{R}^n as follows (see [2,3]). Define column vectors p^0, p^1, \dots, p^l , where the vector p^i correspond to the polynomial $p_i(s)$ ($i = 0, 1, \dots, l$). Since $\text{degree}(p_i) < n$ ($i = 1, 2, \dots, l$) we add zero components to the vector representation of $p_i(s)$ ($i = 0, 1, \dots, l$) in order to have dimension n . For example, assume that

$$p_0(s) = s^4 + 2s^3 + s^2 + 3s + 1, \quad p_1(s) = 2s^3 + s^2 + 1, \quad p_2(s) = s^2 + s.$$

Then

$$p^0 = (1, 3, 1, 2)^T, \quad p^1 = (1, 0, 1, 2)^T, \quad p^2 = (0, 1, 1, 0)^T.$$

The relation (2) can be written as the following vector equation

$$p(c) = Ac + p^0 \tag{3}$$

where A is $n \times l$ dimensional matrix with column vectors p^i ($i = 1, 2, \dots, l$).

Let the monic polynomial (1) be given and p is the corresponding n -dimensional vector. The vector p is said to be stable if the corresponding polynomial (1) is stable. Define the following open subset of \mathbb{R}^n :

$$\mathcal{D} = \{(a_1, a_2, \dots, a_n)^T \in \mathbb{R}^n : (1) \text{ is stable}\}.$$

It is shown in [4] that the closed convex hull of \mathcal{D} is a polytope with $(n + 1)$ vertices:

$$\overline{\text{co}} \mathcal{D} = \text{co} \{V^1, V^2, \dots, V^{n+1}\}, \tag{4}$$

where $\overline{\text{co}}$ stands for the closure of the convex hull and n -dimensional column vectors V^i correspond to the polynomial $(s - 1)^i (s + 1)^{n-i}$ ($0 \leq i \leq n$).

Define

$$\mathcal{P} = \{Ac + p^0 : c \in \mathcal{C}\}. \tag{5}$$

The following proposition is obvious.

Proposition 1 There exists a stabilizing parameter $c \in \mathcal{C}$ if and only if $\mathcal{P} \cap \mathcal{D} \neq \emptyset$. If $\mathcal{P} \cap \text{co} \{V^1, V^2, \dots, V^{n+1}\} = \emptyset$ then there is no stabilizing parameter c .

Stabilization problems for discrete systems with unbounded stabilizing vector c have been considered in [3,5-9]. In [5,7] stabilizing vector from \mathbb{R}^l is sought by randomly generating a great number of stable points or stable segments in the parameter space. In [6], D -decomposition method for the case $l = 2$ is described, stabilization of matrix families and various solution methods are discussed. In [3] the Bernstein expansion method is applied for stabilization. In [8] the locations of vertices V^i with respect to the affine set \mathcal{P} is used for stabilization. The outer and inner approximation of the

stabilizing set by using the interlacing property of Schur stable polynomials is considered in [9, p. 367].

In this paper, we consider stabilization problem with bounded stabilizing vector. In Section 2, we reduce the necessary condition $\mathcal{P} \cap \text{co} \{V^1, V^2, \dots, V^{n+1}\} \neq \emptyset$ to a linear programming (LP) problem. The unfeasibility of this LP proves the nonexistence of a stabilizing vector. In Section 3, we apply least square minimization for stabilization.

2. LINEAR PROGRAMMING

In this section, we investigate the condition

$$\mathcal{P} \cap \text{co} \{V^1, V^2, \dots, V^{n+1}\} \neq \emptyset. \tag{6}$$

This problem is reduced to feasibility problem of a suitable standard LP problem. If the feasibility set is empty then there is no stabilizing parameter c .

Since

$$\begin{aligned} \text{co} \{V^1, V^2, \dots, V^{n+1}\} &= \{x_1 V^1 + x_2 V^2 + \dots + x_{n+1} V^{n+1}: x_1 + x_2 + \dots + x_{n+1} = 1, \\ &x_1 \geq 0, x_2 \geq 0, \dots, x_{n+1} \geq 0\} \end{aligned}$$

the condition (6) is equivalent to the following: there exist $(c_1, c_2, \dots, c_l) \in [c_1^-, c_1^+] \times [c_2^-, c_2^+] \times \dots \times [c_l^-, c_l^+]$ and $x_1 \geq 0, x_2 \geq 0, \dots, x_{n+1} \geq 0, x_1 + x_2 + \dots + x_{n+1} = 1$ such that

$$x_1 V^1 + x_2 V^2 + \dots + x_{n+1} V^{n+1} = c_1 p^1 + c_2 p^2 + \dots + c_l p^l + p^0. \tag{7}$$

By introducing new variables, without loss of generality, we can assume that $c_1^- = c_2^- = \dots = c_l^- = 0$ that is $\mathcal{C} = [0, c_1^+] \times [0, c_2^+] \times \dots \times [0, c_l^+]$.

Define the following variables:

$$\begin{aligned} x_{n+2} &= c_1, & x_{n+3} &= c_2, & \dots, & x_{n+l+1} &= c_l, \\ x_{n+l+2} &= c_1^+ - c_1, & x_{n+l+3} &= c_2^+ - c_2, & \dots, & x_{n+2l+1} &= c_l^+ - c_l. \end{aligned}$$

The equality (7) is equivalent to the feasibility of the following LP problem:

$$\begin{bmatrix} V^1 & V^2 & \dots & V^{n+1} & -p^1 & -p^2 & \dots & -p^l & 0 & 0 & \dots & 0 \\ 1 & 1 & \dots & 1 & 0 & 0 & \dots & 0 & 0 & 0 & \dots & 0 \\ 0 & 0 & \dots & 0 & 1 & 0 & \dots & 0 & 1 & 0 & \dots & 0 \\ 0 & 0 & \dots & 0 & 0 & 1 & \dots & 0 & 0 & 1 & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \ddots & \vdots & \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & 0 & 0 & 0 & \dots & 1 & 0 & 0 & \dots & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ \vdots \\ x_{n+1} \\ x_{n+2} \\ \vdots \\ x_{n+l+1} \\ x_{n+l+2} \\ \vdots \\ x_{n+2l+1} \end{bmatrix} = \begin{bmatrix} p^0 \\ 1 \\ c_1^+ \\ c_2^+ \\ \vdots \\ c_l^+ \end{bmatrix} \tag{8}$$

$$x_i \geq 0 \quad (i = 1, 2, \dots, n + 2l + 1).$$

In the above LP feasibility problem $Ax = b, x \geq 0$, the matrix A is $(n + l + 1) \times (n + 2l + 1)$ dimensional and the variable x is $(n + 2l + 1)$ dimensional.

If the feasibility set of (8) is empty then there is no stabilizing vector (see Example 1). If the feasibility set is nonempty the solution set gives several inequalities from which a stabilizing vector can be determined easily by inspection (see Example 2).

Example 1 Consider the plant

$$G(s) = \frac{-0.7s^2 - 0.2s - 2.5}{s^5 - 1.4s^4 + s^3 + 2.4s^2 + 1.2s - 1.9}$$

and controller $R(s, c) = \frac{c_1 + c_2s + c_3s^2}{s}$ with $c_1 \in [0,5]$, $c_2 \in [0,5]$, $c_3 \in [0,5]$.

The closed loop characteristic polynomial is

$$p(s, c) = s^6 - 1.4s^5 + 2.4s^4 + 5.25s^3 + 5.99s^2 + 6.59s - 3.25 + c_1(-0.7s^2 - 0.2s - 2.5) + c_2(-0.7s^3 - 0.2s^2 - 2.5s) + c_3(-0.7s^4 - 0.2s^3 - 2.5s^2)$$

Then $p^0 = (-3.25, 6.59, 5.99, 5.25, 2.4, -1.4)^T$, $p^1 = (-2.50, -0.20, -0.70, 0, 0, 0)^T$, $p^2 = (0, -2.50, -0.20, -0.70, 0, 0)^T$, $p^3 = (0, 0, -2.50, -0.20, -0.70, 0)^T$. For $n = 6$, the vertices V^1, V^2, \dots, V^7 are

$$\begin{aligned} V^1 &= (1, 6, 15, 20, 15, 6)^T, & V^2 &= (-1, -4, -5, 0, 5, 4)^T, & V^3 &= (1, 2, -1, -4, -1, 2)^T, \\ V^4 &= (-1, 0, 3, 0, -3, 0)^T, & V^5 &= (1, -2, -1, 4, -1, -2)^T, & V^6 &= (-1, 4, -5, 0, 5, -4)^T, \\ V^7 &= (1, -6, 15, -20, 15, -6)^T \end{aligned}$$

The corresponding LP problem (8) is

$$\begin{bmatrix} 1 & -1 & 1 & -1 & 1 & -1 & 1 & 2.5 & 0 & 0 & 0 & 0 & 0 \\ 6 & -4 & 2 & 0 & -2 & 4 & -6 & 0.2 & 2.5 & 0 & 0 & 0 & 0 \\ 15 & -5 & -1 & 3 & -1 & -5 & 15 & 0.6 & 0.2 & 2.5 & 0 & 0 & 0 \\ 20 & 0 & -4 & 0 & 4 & 0 & -20 & 0 & 0.6 & 0.2 & 0 & 0 & 0 \\ 15 & 5 & -1 & -3 & -1 & 5 & 15 & 0 & 0 & 0.6 & 0 & 0 & 0 \\ 6 & 4 & 2 & 0 & -2 & -4 & -6 & 0 & 0 & 0 & 0 & 0 & 0 \\ 1 & 1 & 1 & 1 & 1 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ \vdots \\ x_{13} \end{bmatrix} = \begin{bmatrix} -3.25 \\ 6.59 \\ 5.99 \\ 5.25 \\ 2.4 \\ -1.4 \\ 1 \\ 5.0 \\ 5.0 \\ 5 \end{bmatrix}$$

$$x_i \geq 0 \quad (i = 1, 2, \dots, 13).$$

The feasible set of this LP is empty, that is, $\mathcal{P} \cap \text{co}\{V^1, V^2, \dots, V^7\} = \emptyset$ and there is no stabilizing parameter.

Example 2 Let the family (2) be given as

$$p(s, c) = s^5 - 2.9s^4 + 5.84s^3 - 3.064s^2 + 0.8783s - 2.28035 + c_1(-s^3 + 1) + c_2(0.5s^2 + s)$$

and $c_1 \in [0,2]$, $c_2 \in [0,1]$.

For $n = 5$, the vertices V^1, V^2, \dots, V^6 are

$$\begin{aligned} V^1 &= (1, 5, 10, 10, 5)^T, & V^2 &= (-1, -3, -2, 2, 3)^T, & V^3 &= (1, 1, -2, -2, 1)^T, \\ V^4 &= (-1, 1, 2, -2, -1)^T, & V^5 &= (1, -3, 2, 2, -3)^T, & V^6 &= (-1, -5, -10, 10, -5)^T. \end{aligned}$$

The corresponding LP problem (8) is

$$\begin{bmatrix}
 1 & -1 & 1 & -1 & 1 & -1 & -1 & 1 & 0 & 0 \\
 5 & -3 & 1 & 1 & -3 & 5 & 0 & 0 & -1 & 1 \\
 10 & -2 & -2 & 2 & 2 & -10 & 0 & 0 & -0.5 & 0.5 \\
 10 & 2 & -2 & -2 & 2 & 10 & 1 & -1 & 0 & 0 \\
 5 & 3 & 1 & -1 & -3 & -5 & 0 & 0 & 0 & 0 \\
 1 & 1 & 1 & 1 & 1 & 1 & 0 & 0 & 0 & 0 \\
 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\
 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 1
 \end{bmatrix}
 \begin{bmatrix}
 x_1 \\
 x_2 \\
 x_3 \\
 x_4 \\
 x_5 \\
 x_6 \\
 x_7 \\
 x_8 \\
 x_9 \\
 x_{10}
 \end{bmatrix}
 =
 \begin{bmatrix}
 -2.28035 \\
 0.8783 \\
 -3.064 \\
 5.84 \\
 -2.9 \\
 1 \\
 2 \\
 1
 \end{bmatrix}$$

$$x_i \geq 0 \quad (i = 1, 2, \dots, 10).$$

The solution set of this LP consists of the union of 11 polyhedral sets. For example, the first solution set has the following form:

$$\begin{aligned}
 0 \leq x_1 \leq 0.009, & & 0 \leq x_2 \leq 0.033, \\
 x_3 = 0.107 - 3.999 x_1 - 1.999 x_2, & & x_4 = 0.206 + 5.111 x_1 + 1.333 x_2, \\
 x_5 = 0.314 - 3.222 x_1 - 0.666 x_2, & & x_6 = 0.371 + 1.111 x_1 + 0.333 x_2, \\
 x_7 = 2.123 - 12.444 x_1 - 5.333 x_2, & & x_8 = 0.3507 + 21.3333 x_1, \\
 x_9 = -0.123 + 12.444 x_1 + 5.333 x_2, & & x_{10} = 0.649 - 21.333 x_1.
 \end{aligned}$$

Take the following point from this set

$$(x_1, x_2, \dots, x_{10})^T = (0.002, 0.01, 0.079012, 0.229552, 0.300896, 0.376552, 2.044782, 0.3933666, -0.044782, 0.606334)^T.$$

Recall that $c_1 = x_7$, $c_2 = x_8$. The values $c_1^0 = x_7 = 2.044782$, $c_2^0 = x_8 = 0.3933666$ are stabilizing, since the polynomial

$$p(s, c^0) = s^5 - 2.9s^4 + 3.795218s^3 - 2.86731670s^2 + 1.2716666s - 0.235568$$

is stable.

3. LEAST SQUARE MINIMIZATION

The condition (6) is only a necessary condition for the existence of a stabilizing parameter. On the other hand we can give corresponding example where (6) is satisfied but there is no stabilizing parameter (see Example 3). This shows that the condition (6) is only a necessary condition for the existence. In this section, we consider the Euclidean distance between the sets \mathcal{P} and \mathcal{D} . Define

$$\alpha = \min_{c \in \mathcal{C}, k \in [-1, 1]^n} \|Ac + p^0 - f(k)\|,$$

where $c = (c_1, c_2, \dots, c_l)^T$, $\mathcal{C} = [0, c_1^+] \times [0, c_2^+] \times \dots \times [0, c_l^+]$, $k = (k_1, k_2, \dots, k_n)^T$, $[-1, 1]^n = [-1, 1] \times [-1, 1] \times \dots \times [-1, 1]$, $f(k) = (f_1(k), f_2(k), \dots, f_n(k))^T$ and f is the reflection map, k is the reflection vector.

The condition $\alpha = 0$ is “almost” a necessary and sufficient condition for the existence of a stabilizing parameter.

Proposition 2 If $\alpha > 0$ then there is no a stabilizing parameter. If $\alpha = 0$ then there exists a stabilizing parameter or there exists $c \in \mathcal{C}$ such that the corresponding polynomial $p(s, c)$ has all roots belonging to the closed unit disc.

In what follows the minimizations have been made by using Maple minimization commands.

Example 3 Consider the family

$$p(s, c) = s^5 - 1.4s^4 + 0.4s^3 + 4.12s^2 - 1.3s - 1.5 + c_1(0.7s^3 - 0.3s^2 + 0.6) + c_2(0.5s^2 + s + 0.1) + c_3(s^3 - 0.3s + 0.2),$$

$c_1 \in [0,5], c_2 \in [0,1], c_3 \in [0,1].$

For this example, the feasibility set of LP problem (8) is nonempty. Consider the following minimization problem

$$F(c, k) = \|Ac + p^0 - f(k)\|^2 \rightarrow \min \tag{9}$$

where $c = (c_1, c_2, c_3)^T \in [0,5] \times [0,1] \times [0,1], k = (k_1, k_2, \dots, k_5) \in [-1,1]^5.$

The optimal value of (9) is positive (≈ 4.999). Therefore, there is no stabilizing parameter.

Example 4 Consider the family

$$p(s, c) = s^5 - 3.2s^4 + 4.24s^3 - 7.758s^2 - 2.3699s + 1.1872 + c_1(0.3s^2 + 1.1s + 0.7) + c_2(1.5s^2 + 2s - 0.6) + c_3(0.5s^3 - 2.4s - 2.2),$$

$c_1 \in [0,3], c_2 \in [0,3], c_3 \in [0,4].$

The corresponding LP problem (8) has nonempty feasibility set. The minimization problem

$$F(c, k) = \|Ac + p^0 - f(k)\|^2 \rightarrow \min$$

has optimal value zero ($\approx 2.3 \cdot 10^{-8}$). The optimal point is the following

$$\begin{aligned} c_1 &= 1.94598672835119, & c_2 &= 2.12919162384265, & c_3 &= 0.816115998634540, \\ k_1 &= 0.954034132402279, & k_2 &= -0.891166832620269, & k_3 &= 0.773998874801903, \\ k_4 &= -0.544090555311313, & k_5 &= 0.523579479105046. \end{aligned}$$

For $c_1 = 1.94598672835119, c_2 = 2.12919162384265$ the corresponding polynomial is

$$p(s, c) = s^5 - 3.2s^4 + 4.648057999s^3 - 3.980416546s^2 + 2.070390252s - 0.5235794617$$

and its roots are

$$\begin{aligned} z_1 &= 0.9309235937, & |z_1| &= 0.9309235937, \\ z_2 &= 0.8235418792 + 0.4120655366 i, & |z_2| &= 0.9208795976, \\ z_3 &= 0.8235418792 - 0.4120655366 i, & |z_3| &= 0.9208795976, \\ z_4 &= 0.3109963240 + 0.7526681217 i, & |z_4| &= 0.814388123, \\ z_5 &= 0.3109963240 - 0.7526681217 i, & |z_5| &= 0.814388123. \end{aligned}$$

Therefore the polynomial $p(s, c)$ is stable.

4. CONCLUSION

In this paper, we consider Schur stabilization problem for discrete single input, single output systems. It is assumed that the control parameter is bounded and control function is affine linear with respect to the control parameter. Two approaches are considered: Linear programming and least square minimization.

REFERENCES

- [1] Levinson N. The Wiener RMS error criterion in filter design and prediction. *J. Math. Phys.*, vol. 25, no. 1–4, pp. 261–278, 1946.
- [2] Nurges Ü. New stability conditions via reflection coefficients of polynomials. *IEEE Transactions on Automatic Control*, vol. 50, no. 9, pp. 1354–1360, 2005.
- [3] Büyükköroğlu T. Fixed order controller for Schur stability. *Math. Comput. Appl.*, vol. 21, no. 2, paper no. 25, pp.1-9, 2016.
- [4] Fam AT, Meditch JS. A canonical parameter space for linear systems design. *IEEE Transactions on Automatic Control*, vol. 23, no. 3, pp. 454–458, 1978.
- [5] Petrikevich YI. Randomized methods of stabilization of the discrete linear systems. *Automation and Remote Control*, vol. 69, no. 11, pp. 1911–1921, 2008.
- [6] Polyak BT, Shcherbakov PS. Hard problems in linear control theory: possible approaches to solution. *Automation and Remote Control*, vol. 65, no. 5, pp. 681–718, 2005.
- [7] Nurges Ü, Avanesov S. Fixed-order stabilising controller design by a mixed randomized/deterministic method. *Int. J. Control*, vol. 88, no. 2, pp. 335–346, 2015.
- [8] Büyükköroğlu T, Çelebi G, Dzhafarov V. Stabilization of discrete time systems by reflection coefficients. *Tr. Inst. Math. Mekh. UrO RAN*, vol. 23, no. 1, pp. 306–311, 2017.
- [9] Waqar AM, Swaroop D, Bhattacharyya SP. Synthesis of fixed structure controllers for discrete time systems. *Numerical Linear Algebra in Signals, Systems and Control*. Volume 80 of the series *Lecture Notes in Electrical Engineering*, pp 367-385, 2011.